# LENZA PRO- lidocaine/menthol patch patch KBS Solutions

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Lenza Pro

Menthol 4% Lidocaine 4%

Topical Analgesic

For the temporarily relief of minor aches and muscle pains associated with arthritis, simple backache, strains, muscle soreness and stiffness.

- Only for external use. Use only as directed. Read and follow all directions and warnings on this label.
- Do not use: on open wounds, cuts, damaged or infected skin as well as in the eyes, mouth, genitals, or any other mucous membranes.
- Do not cover with bandage.
- Keep out of reach of children. Consult physician for children under 12.
- Consult your physician: if pregnant or pain persists or worsens or if you experience signs of skin injury such as pain, swelling, or blistering where product was applied or if symptoms persist for more than 7 days or clear up and occur again within a few days.
- If swallowed, get medical help or contact a Poison Control Center right away.
- Clean and dry the affected area
- Open pouch and remove one patch
- Remove any protective film and apply directly to affected area of pain
- Wash hands with soap and water after applying patch
- Reseal pouch containing unused patches after each use

Methacrylic acid, ethylhexyl acrylate, bentonite, sodium stearate

on open wounds, cuts, damaged or infected skin as well as in the eyes, mouth, genitals, or any other mucous membranes.

Consult physician for children under 12.

Only for external use. Use only as directed. Read and follow all directions and

warnings on this label.

- Do not use: on open wounds, cuts, damaged or infected skin as well as in the eyes, mouth, genitals, or any other mucous membranes.
- Do not cover with bandage.
- Keep out of reach of children. Consult physician for children under 12.
- Consult your physician: if pregnant or pain persists or worsens or if you experience signs of skin injury such as pain, swelling, or blistering where product was applied or if symptoms persist for more than 7 days or clear up and occur again within a few days.
- If swallowed, get medical help or contact a Poison Control Center right away.

In Case of Ingestion or Overdose, get medical help or contact a Poison Control Center (800-222-1222) right away.

Adults and children 12 years and over: Apply patch to affected area 1 to 2 times

daily or as directed.

Manufactured for : SOLA Pharmaceuticals 18169 East Petroleum Dr. Suite B

Baton Rouge, LA 70809

Store in a dry, cool place

For Comments or Questions, call 888-495-6078

LenzaPro Patch Topical Pain Patch for long lasting relief

NDC 70512-011-15

Qty: 15 Articulated Patches (5 per Resealable Pouch) x 3



Drug Facts
 Active ingredientsPurpleMenthol 4%Topical Anal Lidocaine 4%Topical Anal Anal Anal Anal Anal Anal Anal An
 <b>Uses:</b> For the temporarily relief of minor aches and muscle pains associated with arthritis, si backache, strains, muscle soreness and stiffness.
 Warnings:  Only for external use. Use only as directed. Read and follow all directions and war
 Do not use: on open wounds, cuts, damaged or infected skin as well as in the eyemouth, genitals, or any other mucous membranes.
 <ul> <li>Do not cover with a consideration of the consult physician for children under 12.</li> <li>Copusity your physician: if pregnant or pain persists or worsens or if you experien.</li> </ul>
 of skin injury such as pain, swelling, or blistering where product was applied or if symptoms persist for more than 7 days or clear up and occur again within a few dc I fswallowed, get medical help or contact a Poison Control Center right away.
 <b>Directions</b> Adults and children 12 years and over: Apply patch to affected area 1 to 2 times da as directed.
 Instructions for use:  Clean and dry the affected area Open bouch and remove one patch
 <ul> <li>Remove any protective film and apply directly to affected area of pain</li> <li>Wash hands with soap and water after applying patch</li> <li>Reseal pouch containing unused patches after each use</li> </ul>
 Other information: • Store in a dry, cool place
 <b>Other ingredients:</b> Methacrylic acid, ethylhexyl acrylate, bentonite, sodium stearate.
 Questions or comments? 866-747-7365
 Manufactured for: SOLA PHARMACEUTICALS 18169 East Petroleum Dr, Suite B Baton Rouge, LA 70809

### LENZA PRO

lidocaine/menthol patch patch

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70512-011	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
LIDO CAINE (UNII: 98 PI200987) (LIDO CAINE - UNII:98 PI200987)	LIDOCAINE	40 mg in 1 g		
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	40 mg in 1 g		

Inactive Ingredients				
Ingredient Name	Strength			
METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (1:1) TYPE A (UNII: NX76LV5T8J)				
2-ETHYLHEXYL ACRYLATE (UNII: HR49 R9 S6 XG)				
BENTONITE (UNII: A3N5ZCN45C)				
CALCIUM STEARATE (UNII: 776 XM70 47L)				

Product Characteristics			
Color		Score	
Shape	SQUARE (Clear Colorless Patch)	Size	
Flavor		Imprint Code	

### Contains

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:70512- 011-15	3 in 1 BOX	02/08/2018	
1		1 g in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part348	02/08/2018			

## Labeler - KBS Solutions (080121345)

Revised: 4/2018 KBS Solutions